

| Ref # | Hits  | Search Query   | DBs              | Default Operat or | Plural s | Time Stamp       |
|-------|-------|--|------------------|-------------------|----------|------------------|
| L1    | 140   | packet same (sniffer or capture) and xml                                     | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 09:29 |
| L2    | 90    | packet near5 (sniffer or capture) and xml                                    | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 09:20 |
| L3    | 59    | packet near5 (sniffer or capture) and xml near5 (document or file or output) | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 09:13 |
| L4    | 7     | packet near5 (sniffer or capture) and xml                                    | USPAT            | OR                | ON       | 2005/12/02 09:20 |
| L5    | 0     | netpdl   | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 09:29 |
| L6    | 20    | protocol adj description adj language  | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 09:35 |
| L7    | 74    | tcpdump  | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 09:51 |
| L8    | 15    | tcpdump and xml  | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 09:56 |
| L9    | 0     | etheral same packet and xml  | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 09:58 |
| L10   | 1     | ethereal same packet and xml   | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 09:58 |
| L26   | 99    | (generat\$3 or creat\$3) with xml same packet                                | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 10:33 |
| L27   | 190   | (xml and packet).clm.  | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 10:33 |
| L28   | 40605 | ("709").CLAS.  | US-PGPU B; USPAT | OR                | OFF      | 2005/12/02 10:33 |
| L29   | 69    | L28 and 27   | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 10:33 |
| L30   | 43    | (xml same packet).clm.   | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 10:33 |
| L31   | 18    | 28 and 30  | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 10:35 |
| L32   | 1063  | xml same (trace or log)  | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 10:36 |
| L33   | 27    | xml same (trace or log) same packet  | US-PGPU B; USPAT | OR                | ON       | 2005/12/02 10:36 |

|     |       |   |                            |    |     |                  |
|-----|-------|---|----------------------------|----|-----|------------------|
| L34 | 8477  | ((709/224,246) or (714/39, 50) or (715/513)).CCLS.  | US-PGPU B; USPAT           | OR | OFF | 2005/12/02 11:24 |
| L35 | 20    | 34 and 27   | US-PGPU B; USPAT           | OR | ON  | 2005/12/02 11:25 |
| L36 | 7     | 34 and 30   | US-PGPU B; USPAT           | OR | ON  | 2005/12/02 11:25 |
| L37 | 181   | (xml and (packet or protocol)).ab.  | US-PGPU B; USPAT           | OR | ON  | 2005/12/02 11:25 |
| L38 | 25    | 34 and 37   | US-PGPU B; USPAT           | OR | ON  | 2005/12/02 11:25 |
| L39 | 4337  | ((sniffer or captur\$3 or monitor\$3 or analy\$4 or debug\$4 or simulat\$3) and (packet or protocol)).ab.   | US-PGPU B; USPAT           | OR | ON  | 2005/12/02 11:28 |
| L40 | 362   | 34 and 39   | US-PGPU B; USPAT           | OR | ON  | 2005/12/02 11:26 |
| L41 | 30    | 40 and xml  | US-PGPU B; USPAT           | OR | ON  | 2005/12/02 11:26 |
| L42 | 70    | (sniffer or captur\$3 or monitor\$3 or analy\$4 or debug\$4 or simulat\$3) and (packet or protocol) and xml | EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2005/12/02 11:29 |
| L43 | 0     | tcpdump and xml   | EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2005/12/02 11:29 |
| L44 | 36    | packet same xml   | EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2005/12/02 11:29 |
| L45 | 32    | packet with xml   | EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2005/12/02 11:29 |
| L46 | 10    | 42 and 45   | EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2005/12/02 11:29 |
| S1  | 169   | (xml and protocol).ab.  | US-PGPU B; USPAT           | OR | ON  | 2005/12/01 11:29 |
| S2  | 40605 | ("709").CLAS.   | US-PGPU B; USPAT           | OR | OFF | 2005/12/01 11:28 |

|     |     |  |                     |    |     |                     |
|-----|-----|--|---------------------|----|-----|---------------------|
| S3  | 68  | S1 and S2  | US-PGPU<br>B; USPAT | OR | ON  | 2005/12/01<br>11:28 |
| S4  | 31  | (xml and protocol and<br>(conver\$5 or transcod\$3 or<br>transform\$3 or extract\$3)).<br>ab.  | US-PGPU<br>B; USPAT | OR | ON  | 2005/12/01<br>11:36 |
| S5  | 1   | (xml and protocol and<br>(conver\$5 or transcod\$3 or<br>transform\$3 or extract\$3)<br>same packet).ab.   | US-PGPU<br>B; USPAT | OR | ON  | 2005/12/01<br>12:20 |
| S6  | 9   | (xml and protocol and<br>packet).ab.   | US-PGPU<br>B; USPAT | OR | ON  | 2005/12/01<br>11:43 |
| S7  | 8   | (("5,347,524") or ("5,850,<br>388") or ("5,933,602") or<br>("6,115,393") or ("6'587,<br>439") or ("6,708,292") or<br>("6,728,219") or ("6,745,<br>351")).PN. | US-PGPU<br>B; USPAT | OR | OFF | 2005/12/01<br>15:44 |
| S8  | 7   | (xml and protocol and<br>analy\$5).ab.   | US-PGPU<br>B; USPAT | OR | ON  | 2005/12/01<br>11:43 |
| S9  | 782 | (protocol and analy\$5).ab.  | US-PGPU<br>B; USPAT | OR | ON  | 2005/12/01<br>11:44 |
| S10 | 131 | S2 and S9  | US-PGPU<br>B; USPAT | OR | ON  | 2005/12/01<br>11:44 |
| S11 | 4   | S10 and xml same packet  | US-PGPU<br>B; USPAT | OR | ON  | 2005/12/01<br>11:44 |
| S12 | 17  | S10 and xml  | US-PGPU<br>B; USPAT | OR | ON  | 2005/12/01<br>11:47 |
| S13 | 6   | (("6,704,874") or ("6,778,<br>863") or ("20020029300") or<br>("20030088665") or ("5,991,<br>881") or ("6,792,466")).PN.                                      | US-PGPU<br>B; USPAT | OR | OFF | 2005/12/01<br>11:47 |
| S14 | 4   | ("6584508").URPN.  | USPAT               | OR | ON  | 2005/12/01<br>12:09 |
| S15 | 17  | (generat\$3 or creat\$3) with<br>XML adj document same<br>packet   | US-PGPU<br>B; USPAT | OR | ON  | 2005/12/02<br>10:15 |
| S16 | 1   | ("20020111965").PN.  | US-PGPU<br>B; USPAT | OR | OFF | 2005/12/01<br>12:14 |
| S17 | 7   | (conver\$5 or transcod\$3 or<br>transform\$3 or extract\$3)<br>with XML adj document with<br>packet  | US-PGPU<br>B; USPAT | OR | ON  | 2005/12/01<br>12:24 |

|     |    |   |                               |    |    |                     |
|-----|----|---|-------------------------------|----|----|---------------------|
| S18 | 0  | ("6915456").URPN.   | USPAT                         | OR | ON | 2005/12/01<br>12:20 |
| S19 | 11 | ("20020157041"  <br>"20040205565"   "5347524"  <br>"5850388"   "5850523"  <br>"5933602"   "6115393"  <br>"6587439"   "6708292"  <br>"6728219"   "6745351").PN.  | US-PGPU<br>B; USPAT;<br>USOCR | OR | ON | 2005/12/01<br>12:20 |
| S20 | 1  | S19 and xml   | US-PGPU<br>B; USPAT           | OR | ON | 2005/12/01<br>12:27 |
| S21 | 38 | S3 and packet   | US-PGPU<br>B; USPAT           | OR | ON | 2005/12/01<br>12:21 |
| S22 | 5  | S3 and packet same extract\$3   | US-PGPU<br>B; USPAT           | OR | ON | 2005/12/01<br>12:22 |
| S24 | 51 | (conver\$5 or transcod\$3 or<br>transform\$3 or extract\$3)<br>with XML with packet   | US-PGPU<br>B; USPAT           | OR | ON | 2005/12/01<br>12:30 |
| S25 | 12 | S2 and S24  | US-PGPU<br>B; USPAT           | OR | ON | 2005/12/01<br>12:25 |
| S26 | 22 | ("20020002580"  <br>"20020120521"  <br>"20020169825"  <br>"20030204756"   "5930768"  <br>"5971597"   "6098893"  <br>"6122678"   "6145751"  <br>"6147601"   "6285912"  <br>"6304788"   "6317701"  <br>"6338437"   "6363421"  <br>"6366832"   "6463585"  <br>"6484061"   "6519568"  <br>"6587884"   "6615088"  <br>"6631416").PN. | US-PGPU<br>B; USPAT;<br>USOCR | OR | ON | 2005/12/01<br>12:27 |
| S27 | 6  | S26 and xml   | US-PGPU<br>B; USPAT           | OR | ON | 2005/12/01<br>12:27 |
| S28 | 89 | (conver\$5 or transcod\$3 or<br>transform\$3 or extract\$3)<br>with XML same packet   | US-PGPU<br>B; USPAT           | OR | ON | 2005/12/01<br>12:31 |
| S29 | 77 | S28 not S25   | US-PGPU<br>B; USPAT           | OR | ON | 2005/12/01<br>12:36 |
| S30 | 11 | packet near5 represent\$6<br>with xml   | US-PGPU<br>B; USPAT           | OR | ON | 2005/12/01<br>12:46 |
| S32 | 9  | packet near5 represent\$6<br>with (file or document or<br>markup) same xml  | US-PGPU<br>B; USPAT           | OR | ON | 2005/12/01<br>14:26 |

|     |      |  |                  |    |     |                  |
|-----|------|--|------------------|----|-----|------------------|
| S33 | 14   | packet near5 describ\$3 with xml   | US-PGPU B; USPAT | OR | ON  | 2005/12/01 14:18 |
| S34 | 12   | xml same packet same headers with (element or tag)   | US-PGPU B; USPAT | OR | ON  | 2005/12/01 14:18 |
| S35 | 81   | xml and packet same headers with (element or tag)  | US-PGPU B; USPAT | OR | ON  | 2005/12/01 14:20 |
| S36 | 83   | xml and packet same headers with (element or tag\$4)   | US-PGPU B; USPAT | OR | ON  | 2005/12/01 14:22 |
| S37 | 34   | S36 and (describ\$3 or represent\$6 or summar\$8) near5 packet   | US-PGPU B; USPAT | OR | ON  | 2005/12/01 14:23 |
| S38 | 111  | (stor\$ or sav\$3) near3 (packet or message or communication) with (file or document or markup) same xml   | US-PGPU B; USPAT | OR | ON  | 2005/12/01 14:27 |
| S39 | 9471 | (pars\$3) near5 (file or document or markup or xml)  | US-PGPU B; USPAT | OR | ON  | 2005/12/01 14:28 |
| S40 | 62   | S38 and S39  | US-PGPU B; USPAT | OR | ON  | 2005/12/01 14:35 |
| S41 | 1    | ("20020042830").PN.  | US-PGPU B; USPAT | OR | OFF | 2005/12/01 15:28 |
| S42 | 0    | packet adj (content or information) with extract\$3 same (log\$4 or stor\$3 or sav\$3) same (text or word or asci or markup) same (file or document) | US-PGPU B; USPAT | OR | ON  | 2005/12/01 16:21 |
| S43 | 72   | packet adj (content or information) same (log\$4 or stor\$3 or sav\$3) same (text or word or asci or markup) same (file or document)                 | US-PGPU B; USPAT | OR | ON  | 2005/12/01 15:33 |
| S44 | 190  | packet adj (content or information) same tag\$3  | US-PGPU B; USPAT | OR | ON  | 2005/12/01 15:33 |
| S45 | 15   | packet adj (content or information) same tag\$3 and xml  | US-PGPU B; USPAT | OR | ON  | 2005/12/01 15:33 |

|     |     |  |                         |    |    |                  |
|-----|-----|--|-------------------------|----|----|------------------|
| S46 | 227 | display\$3 near5 (frame or packet) adj (data or information or contents) same (analy\$3 or test\$3 or debug\$4 or log\$4 or simulat\$3 or emulat\$3) | US-PGPU B; USPAT        | OR | ON | 2005/12/01 15:46 |
| S47 | 22  | S2 and S46   | US-PGPU B; USPAT        | OR | ON | 2005/12/01 16:21 |
| S48 | 0   | ("6931574").URPN.  | USPAT                   | OR | ON | 2005/12/01 15:51 |
| S49 | 7   | ("20040083299"   "5347524"   "5850388"   "6122757"   "6219050"   "6493761"   "6665725").PN.  | US-PGPU B; USPAT; USOCR | OR | ON | 2005/12/01 15:51 |
| S50 | 10  | ("5933602").URPN.  | USPAT                   | OR | ON | 2005/12/01 16:05 |
| S51 | 125 | packet adj (content or information) with extract\$3 same (log\$4 or stor\$3 or sav\$3)   | US-PGPU B; USPAT        | OR | ON | 2005/12/01 16:34 |
| S52 | 21  | S2 and S51   | US-PGPU B; USPAT        | OR | ON | 2005/12/01 16:22 |
| S55 | 2   | packet adj (snapshot) same (log\$4 or stor\$3 or sav\$3)   | US-PGPU B; USPAT        | OR | ON | 2005/12/01 16:33 |
| S56 | 7   | packet adj (content or information or data) with log adj file  | US-PGPU B; USPAT        | OR | ON | 2005/12/02 09:10 |